

Root Reference: M-1509

Effective date: 03.2020

TECHNICAL DATA SHEET

YARROW ESSENTIAL OIL PURE

INFORMATION ON SUBSTANCE / MIXTURE

I.N.C.I.	Achillea Millefolium Oil
Manufacturing process	Obtained by steam distillation of flowery herbs of Achillea millefolium L.
Part used	Flowery herb

TECHNICAL DATA

Physical parameters

Appearance	Liquid			
Color	Dark blue			
Odor	Fresh, camphorated, penetrating			
Relative density (d20/20)	[0.900 ; 0.950]			
Refractive index at 20°C	[1.460; 1.500]			
Angular rotation (°)	N.A.			
Flash point	54°C			

Chemical parameters

Analysis method GC-MS

Hydrocarbon content	<68%
V.O.C. (volatile organic compound) content	N.A.

Biological parameters

Aerobic Bacteria (TAMC)	< 100 cfu/g
Yeasts and molds	< 10 cfu/g
Enterobacteriaceae	< 10 cfu/g
Salmonella	Absent in 25g
Escherichia coli	Absent in 1g
Staphylococcus aureus	Absent in 1g

Contaminants

Heavy metals	The raw plant material conforms to EC Reg. 629/2008
	Because of the concentration factor of the extraction process, the
	extract itself may have high levels of some heavy metals. However, at



Root Reference: M-1509

Effective date: 03.2020

TECHNICAL DATA SHEET

YARROW ESSENTIAL OIL PURE

the recommended level of use per application, the final consumer pro will also conform to European legislation.				
Pesticides	The raw plant material conforms to EC Reg. 839/2008 amending EC Reg. 396/2005 Because of the concentration factor of the extraction process, the extract itself may have high levels of some pesticides. However, at the recommended level of use per application, the final consumer product will also conform to European legislation.			
Residual solvents	According to Directive 2009/32/EC			
Mycotoxins/ contaminants	According to EC Reg. 629/2008 amending EC Reg. 1881/2006			
IPA	According to CE Reg. 2015/1933			
BSE/TSE	Does not contain ingredients of animal origin, there is no risk of cross contamination because it is not present in our factory			
GMO	GMO free according to EC Reg. 1829/2003 and 1830/2003			
Radioactivity	According to EC Reg. 1048/2009 (extension of EC Regulation 733/2008)			

Content of limited substances which shall not be added as such to food (annex III CE Reg. 1334/2008)

Compound	Max %		
Agaric acid	0.00		
Aloin	0.00		
Capsaicin	0.00		
1,2-Benzopyrone, coumarin	0.00		
Hypericin	0.00		
Beta-asarone	0.00		
Estragole (methyl cavhicol, 1-allil-4-methoxybenzene)	0.00		
Hydrocyanic acid	0.00		
Menthofuran	0.00		
Methyleugenol (4-allil-1,2-dimethoxybenzene)	0.02		
Pulegone	0.00		
Quassin	0.00		
Safrole (1-allil-3,4- methylenedioxybenzene)	0.00		
Teucrin A	0.00		
Alpha-thujone	0.00		
Beta-thujone	0.00		



Root Reference: M-1509

Effective date: 03.2020

TECHNICAL DATA SHEET

YARROW ESSENTIAL OIL PURE

TRANSPORT, STORAGE and SHELF LIFE

Storage conditions	Store product in full, tightly closed containers
Shelf Life	36 months under good storage conditions

LEGISLATION

Vegan and vegetarian statement	It does not contain animal ingredients, it is not tested on animals and the manufacturing process does not include animal ingredients or byproducts.		
FDA	-		
FEMA	-		
COE	-		
EINECS	282-030-6		
C.A.S.	8022-07-9 / 84082-83-7		
REACH pre-registration number	-		

LABELING

Hazard pictograms	(!) ₹ 2) (M) (3)
Hazard categories	AH1 Aspiration hazard 1 EDI2 Serious eye damage / eye irritation 2 EHC2 Hazardous to the aquatic environment, long-trem hazard 2 FL3 Flammable Liquids 3 SCI2 Skin corrosion / irritation 2 SS1 Sensitization skin 1
Hazard statements	H226 – Flammable liquid and vapour. H304 – May be fatal if swallowed and enters airways. H315 – Causes skin irritation. H317 – May cause an allergic skin reaction. H319 – Causes serious eye irritation. H411 – Toxic to aquatic life with long lasting effects.
Precautionary statements	P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Root Reference: M-1509

Effective date: 03.2020

TECHNICAL DATA SHEET

YARROW ESSENTIAL OIL PURE

			P233 – Keep container tightly closed. P241 – Use explosion-proof electrical/ventilating/lighting//equipment. P242 – Use only non-sparking tools. P243 – Take precautionary measures against static discharge. P261 – Avoid breathing dust/fume/gas/mist/vapours/spray
European statements	specific	hazard	None

DISCLAIMER

All warranty claims in respect to the conformity of our product are subject to our General Terms and Conditions of Sale and Delivery. The data listed above reflects the results of the manufacturer or our supplier quality tests. We do not hereby make any express or implied warranty, whether for specific properties or for fitness for any particular application or purpose. All values are valid for the product when dispatched from the works. We recommend you perform your own quality and or identification checks on receipt.